




DEEP DIVE · WHERE SILICON MEETS SYNTHETIC BIOLOGY

We Learned to Read the Genome. A Chip Just Learned to *Write* It.

For twenty years, progress in genetics was a reading story — sequencing costs fell 190,000-fold, faster than Moore's Law. But you can't build what you can't write. This week a Harvard chip born to eavesdrop on neurons was turned into a factory that writes DNA with nothing but electricity and water.

- ▶ The real breakthrough isn't the DNA. It's the address bus.
- ▶ Against the Grain: why more transistors won't fix what comes next.
- ▶ Signals: superconductors found by algorithm · a rocket lands at sea.

CONTENTS

DISPATCH	02
Editor's Note — Reading Is Not Writing	
FEATURE	03
The Write Head	
FEATURE	04
Breakthroughs on the Chip	
FEATURE	05
From Lab to Market	
THE CONTRARIAN	06
Against the Grain	
SIGNALS	07
Three from the Field	
DATA	08
By the Numbers	
ESSAY	09
The Long View & Sources	
NEXT	10
The Lens · Colophon	

DISPATCH · FROM THE DESK

Reading Is Not Writing

The last two decades taught us to *read* the physical world for almost nothing. We read genomes for a few hundred dollars, read the sky in survey after survey, read materials by simulating them. Reading scales beautifully, because reading is mostly a sensing-and-compute problem — and compute has been on a twenty-year tear.

Writing never got the same ride. Arranging matter on purpose — base by base, atom by atom — has stubbornly refused to follow the curve. That asymmetry is the quiet tax on every "synthetic" ambition we have: synthetic biology, designer materials, molecular data storage. You can inspect a cell's entire text for pocket change, but composing one custom paragraph of DNA still means couriering a vial to a chemical plant.

This week's issue is about the moment that gap started to close — and the surprising reason it did. Our lens: watch what happens to any technology the instant it becomes *addressable*. Pixels, transistors, memory cells — each went civilization-scale the day you could point at one spot and change it without disturbing its neighbors. DNA synthesis just got its first real address bus. The contrarian column argues that's also exactly where it could stall.

Every figure in this issue is sourced; the full list appears on page 09. Researched, written & designed with Claude.

The Write Head

Sequencing made *reading* DNA absurdly cheap. Writing it stayed slow, costly, and toxic. A Harvard team just moved the whole operation onto a silicon chip — and, in doing so, quietly turned biology's hardest manufacturing step into a semiconductor problem.

BY THE INFLECTION DESK · RESEARCH DIVISION

Every revolution in biology this century has secretly been a reading revolution. The Human Genome Project, precision oncology, the mRNA vaccines — all of them ride on our astonishing new ability to read the four-letter code of life at industrial speed and vanishing cost. What almost no one outside the field says out loud is that the reverse operation — writing that code from scratch — never kept pace. It is the missing half of the toolkit, and it has been holding the whole field back.

The 40-year-old bottleneck

Nearly all synthetic DNA today is built by *phosphoramidite chemistry*, a method perfected in the early 1980s. It is remarkable — it can lay down millions of sequences in parallel — but it runs on hazardous organic solvents and demands specialized, centralized facilities. You do not write DNA at your bench; you order it from a factory and wait.

Chemists have long eyed a gentler path: *enzymatic synthesis*, which builds DNA in water using an enzyme, much the way a living cell does. Cleaner, safer, potentially portable. But it carried a crippling handicap — parallelism. Where the old chemistry writes millions of strands at once, the best enzymatic demonstrations were stuck at about a dozen.

Why parallelism is the whole game

A synthesizer that writes one sequence is a curiosity. One that writes thousands independently is infrastructure. The difference is addressability: can you tell site No. 314 to add an A while its neighbor adds a T, and keep them from bleeding into each other?

That is the problem the Harvard group set out to solve — not with new chemistry, but with something semiconductor engineers have controlled with exquisite precision for half a century: electric current, delivered to an exact location on a chip. The result, published this month in *Nature Electronics*, is the first time enzymatic DNA writing has been given a real address space.

Sixty-four sites, one silicon surface

The device is a silicon chip whose surface carries 64 independent synthesis sites. At each, DNA strands are anchored at the center and bathed in water, enzyme, and chemically "blocked" nucleotides waiting to be added. The chip's job is not chemistry — it is choreography: deciding, cycle by cycle, exactly which sites are allowed to grow.

A machine that speaks in protons

DNA is built one base at a time, and after each addition a temporary blocking group caps the strand so nothing else can attach. To add the next base, that cap must come off — a step called *deprotection*, triggered by acidic, low-pH

conditions in water. Lower the pH only where you want growth, and you control the whole assembly line.

Here is the trick. Each of the 64 sites is ringed by two concentric electrodes. Fire the inner ring and it generates protons, dropping the local pH just enough to un-cap the strands at that one spot. The outer ring does the unglamorous, essential work: it drains away protons that try to spread outward, walling the acid into a single site so it cannot trigger its neighbors. Repeat the cycle, base by base, and 64 different sequences take shape side by side — each as long as 39 nucleotides, comfortably past the old enzymatic ceiling.

We wondered whether that same current control could be redirected from cells to molecules. It worked.

DONHEE HAM · HARVARD SEAS · IN NATURE ELECTRONICS

From neurons to nucleotides

The most revealing detail is that the chip was never designed to make DNA. It began as an instrument for neuroscience — silicon built by then-PhD-student Jeffrey Abbott to record electrical activity across large populations of neurons, using finely controlled current to open cell membranes for intracellular access.

That same precision-current capability, the team realized, could be pointed at molecules

instead of cells. Swap the neuron-facing electrodes for ring-electrode pairs, and the machine that once listened to brains could now localize the pH needed to write genes. A tool built to read biology's electrical signals had been reversed into a tool that writes biology's chemical code — a reminder that the most consequential platforms are often the ones that turn out to do a second job nobody spec'd.

What It Means When DNA Writing Fits on a Chip

Put DNA synthesis on standard silicon and three things follow. It can be manufactured the way chips are — by the billion, cheaply, reproducibly. It can leave the central foundry and move to the benchtop, the clinic, maybe the field. And it can trade toxic solvents for water. That is the shape of a decentralized, greener supply of the most basic input to modern biology.

The nearer-term payoff is not scale but *access*. Diagnostics, gene editing, and cancer research all run on made-to-order DNA; a chip that prints 64 clean sequences in water, on demand, changes who can make them and where. The team even used its strands to encode a 169-byte text — a toy demonstration of DNA data storage, where a single gram of DNA has been shown to hold 215 petabytes.

The market underneath is real: the oligonucleotide-synthesis segment alone is projected to roughly double from about \$10.5 billion in 2025 to \$24.7 billion by 2030. But temper the excitement — 64 sequences is a rounding error against the millions the old chemistry writes at once. This is a first working address bus, not a finished factory.

A collaboration of Harvard, the Broad Institute, DNA Script and POSTECH; Harvard has filed related IP. Backers include IARPA, Horizon Europe and Samsung.

FIELD NOTES · HOW IT WORKS

- 01 Anchor.** DNA strands are tethered at 64 sites and bathed in water, enzyme, and capped bases.
- 02 Address.** The inner ring at a chosen site injects current, making protons that drop the pH and un-cap just that strand.
- 03 Contain.** The outer ring drains stray protons so the acid can't leak next door. Repeat, base by base.

GLOSSARY

Phosphoramidite chemistry

The 1980s solvent-based method that writes most synthetic DNA today.

Enzymatic synthesis

Building DNA in water with an enzyme — nearly the way living cells do it.

Deprotection

Removing a strand's chemical "cap" so the next base can attach.

Oligonucleotide

A short, made-to-order strand of DNA; the unit product of synthesis.

Everyone Will Read This as a Scaling Story. The Chip Already Told Us It Isn't.

The reflex read is obvious and comforting: DNA writing just went CMOS, so now it rides Moore's Law to millions of strands and the synthesis bottleneck dissolves. Order a genome the way you order a print job.

Look closer at the experiment everyone will skip. When the team packed the synthesis sites closer together to make *more* DNA, it failed — and the failure is the most important result in the paper. The silicon did its job perfectly: it confined the low-pH zone exactly where it was told. The reactions bled anyway, because low pH doesn't deprotect directly. It spawns intermediate molecules, and *those* diffuse into the neighbors. The wall isn't on the chip. It's in the chemistry floating just above it.

That inverts the whole story. The binding constraint has moved off silicon — the one substrate we know how to scale — and into molecular diffusion, which no amount of transistors can address. You cannot fab your way out of a chemistry problem. The winners here won't be whoever owns the best foundry; they'll be whoever invents a direct, single-molecule deprotection chemistry that keeps pace with the electrodes. The Move 37 is realizing the breakthrough already named its own bottleneck — and it isn't the one the headlines will chase.

WHY THE CONSENSUS DISAGREES

The bull case is genuinely strong, and it may be right. CMOS integration is *exactly* how other molecular technologies scaled — on-chip ion sensing and Ion Torrent's sequencing-by-synthesis both won this way. A one-shot jump from ~12 to 64 sequences hints at a steep curve, not a plateau.

And a diffusion problem is a known unknown, not a law of nature — deprotection chemistry is an active field, well funded here by IARPA, Samsung and the pull of DNA storage. For therapeutics and diagnostics, 64 pristine strands may already be plenty; you may simply not need millions.

The honest hedge: my "diffusion wall" could prove an engineering nuisance rather than a ceiling. Bet on the relay between disciplines — not on either side winning alone.

2

MATERIALS

Superconductors, found by algorithm. An Aalto-led team paired machine-learning screening with quantum calculations to nominate candidates; collaborators at Rice then synthesized and confirmed two brand-new superconductors, YRu₃B₂ and LuRu₃B₂, whose superconductivity springs from flat electronic bands in a kagome lattice. The method — not the two materials — is the prize: a working search engine for the thousands of superconductors still undiscovered, pointed squarely at the SuperC consortium's goal of a room-temperature superconductor by 2033.

SOURCE · AALTO UNIVERSITY / SCIENCEDAILY · JUL 2026

45

ROBOTICS

The hardware is now commodity; the edge is software. At RoboCup 2026 in Incheon, Tsinghua's THU Huoshen team won back-to-back Humanoid League titles on standard Booster T1 robots that perceived the field, passed, and shot fully autonomously — no joysticks, no tele-op. With roughly 3,000 competitors from 45 countries fielding the same off-the-shelf platforms, the tell is that a humanoid's body is becoming a solved, shared substrate. The whole contest has migrated up the stack into code.

SOURCE · GLOBAL TIMES / KOREA JOONGANG DAILY · JUL 2026

10 Jul

SPACE

China lands an orbital booster at sea. On July 10 a Long March 10B first stage flew a satellite to orbit and then set itself down on the water — the first orbital-class booster recovery by anyone other than SpaceX. China didn't invent reusability; it reproduced the hardest one percent of it. That's the part that actually pulls down the price of reaching orbit, and it just stopped being a monopoly.

SOURCE · SPACE.COM / NASASPACEFLIGHT · JUL 2026

BY THE NUMBERS

THE WEEK IN FIGURES · EVERY NUMBER SOURCED ON PAGE 09

64

DNA sequences the chip writes at once — up from a prior enzymatic ceiling of about a dozen.

39

Bases in its longest strand, assembled one proton-pulse at a time.

169

Bytes of text encoded into that DNA — a proof-of-concept for molecular storage.

215_{PB}

Data a single gram of DNA has been shown to hold (Erich & Zielinski, 2017).

190,000×

Fall in the cost of *reading* a genome since 2001 — faster than Moore's Law.

\$500

Cost to read a full human genome today, down from \$95 million in 2001.

2033

The SuperC consortium's target year for a room-temperature superconductor.

\$24.7_B

Projected 2030 size of the oligonucleotide-synthesis market, from \$10.5B in 2025.

2

New superconductors confirmed this week by an ML-guided search.

The Next Frontier Is Write Access

Step back from the chip and a pattern organizes the whole issue. Reading got cheap everywhere — genomes for a few hundred dollars, superconductors found by searching a space instead of a lab bench, the sky read survey by survey. The frontier that's left is *writing*: composing matter on purpose, locally, at will. And writing goes civilization-scale only when it becomes addressable — when you can change one location without disturbing its neighbors. That's the threshold the Harvard chip just crossed for DNA, the same one that made pixels, transistors, and memory into infrastructure.

But the week's honest lesson sits on the same chip: the last mile of writing the physical world isn't a compute problem you can buy your way through — it's chemistry and physics that don't care about your transistor budget. Progress will look less like a lone exponential and more like a relay, one discipline's solved problem becoming the next one's starting line. Read that way, the superconductor search and the DNA chip are the same story told twice: we've gotten very good at *proposing* the physical world, and we're just now learning to *make* it.

SOURCES & FURTHER READING

Jung, W-B., Jung, H.S., et al. — "Parallel enzymatic DNA synthesis using a semiconductor chip," *Nature Electronics* (2026). DOI 10.1038/s41928-026-01662-9. <https://dx.doi.org/10.1038/s41928-026-01662-9>

Harvard SEAS — "Making DNA on a semiconductor chip." <https://seas.harvard.edu/news/making-dna-semiconductor-chip>

ScienceDaily — "Harvard scientists turn a silicon chip into a DNA writing machine" (Jul 8, 2026). <https://www.sciencedaily.com/releases/2026/07/260708022202.htm>

phys.org — "Semiconductor chip writes 64 DNA sequences in water, setting new enzymatic benchmark." <https://phys.org/news/2026-06-semiconductor-chip-dna-sequences-enzymatic.html>

Erlich, Y. & Zielinski, D. — "DNA Fountain enables a robust and efficient storage architecture," *Science* 355 (2017). <https://www.science.org/doi/10.1126/science.aaj2038>

NHGRI — "DNA Sequencing Costs: Data." <https://www.genome.gov/about-genomics/fact-sheets/DNA-Sequencing-Costs-Data>

Aalto University — "Researchers identify new superconductors, unlocking process that could yield thousands more." <https://www.aalto.fi/en/news/researchers-identify-new-superconductors-unlocking-process-that-could-yield-thousands-more>

ScienceDaily — "AI just supercharged the race to find room temperature superconductors" (Jul 1, 2026). <https://www.sciencedaily.com/releases/2026/07/260701205006.htm>

Global Times — "Chinese team defends RoboCup 2026 title as embodied AI in sports draws global attention." <https://www.globaltimes.cn/page/202607/1365191.shtml>

Space.com — "China lands rocket during an orbital launch for 1st time ever." <https://www.space.com/space-exploration/launches-spacecraft/making-history-china-lands-rocket-during-an-orbital-launch-for-1st-time-ever>

MarketsandMarkets — "Oligonucleotide Synthesis Market" (2025–2030). <https://www.marketsandmarkets.com/Market-Reports/oligonucleotide-synthesis-market-200829350.html>

INFLECTION.

THE WEEKLY MAGAZINE OF INNOVATION

THE LENS · A RECURRING QUESTION

"What becomes unstoppable the
moment it becomes *addressable*?"



NEXT ISSUE · FRIDAY

A NEW DEEP DIVE · RECURRING DEPARTMENTS

RESEARCHED, WRITTEN & DESIGNED WITH CLAUDE.
TYPESET IN POPPINS & LORA ON THE ANTHROPIC PALETTE.